

Australian Karting Association Ltd

T/A Karting Australia

ABN 97 160 100 265



NATIONAL OFFICE

12 Macquarie Avenue, Penrith, NSW

PO Box 272, Penrith BC

PENRITH NSW 2751

Phone: (02) 47211300

Fax: (02) 47211522

Email: tonym@karting.net.au

Web: www.karting.net.au

Re: CIK Starting Grid

The CIK Starting Grid has been introduced for use in Australia from January 1st, 2018.

For 2018, use of the CIK Starting Grid will be compulsory for all Circuits hosting rounds of National Championships, Series or Cups.

From January 1st 2019, use of the CIK Starting Grid will be compulsory for all KA licensed circuits.

Circuits can choose to upgrade to the CIK Starting Grid at any time during 2018.

A drawing of the CIK Starting Grid is attached and it can also be found at the following link:

[CIK Starting Grid Appendix](#)

Important points to note:

1. The maximum length of the CIK Starting Grid lines is 110 metres.
2. The lines must not start any earlier than the end of the last corner before the start – we recommend that you consult with your relevant Circuit Inspector to confirm starting point on your track.
3. Line marking should have a non-slip additive (such as silica powder).
4. For Circuits used in both directions, we suggest using a different colour for the CIK Starting Grid in the reverse direction to avoid potential confusion.

From

**Best Regards,
Karting Australia**


**Tony Manson
Safety Risk and Compliance Manager**

ANNEXE N°10

APPENDIX No. 10

Grille de départ

Starting Grid



Epaisseur du trait
minimum 100 mm
maximum 120 mm

Stroke thickness
minimum 100 mm
maximum 120 mm

Couleur : blanc
(si pas indiqué d'une autre façon)

Colour: white
(if not indicated in other manner)

Ligne rouge : selon la configuration de la piste

Red line: depending on track configuration

Peinture avec additif anti-patinage (ex. : poudre de cilice)

Paint with anti-skid additive (e.g.: silica powder)